STEPTOE & JOHNSON LLP

ATTORNEYS AT LAW

1330 CONNECTICUT AVENUE, N.W. WASHINGTON, D.C. 20036-1795

PHOENIX, ARIZONA TWO RENAISSANCE SQUARE

TELEPHONE: (802) 257-5200 FACSIMILE: (802) 257-5299

Philip L. Malet (202) 429-6239

(202) 429-3000 FACSIMILE: (202) 429-3902 TELEX: 89-2503 STEPTOE & JOHNSON INTERNATIONAL AFFILIATE IN MOSCOW, RUSSIA

TELEPHONE: (011-7-501) 258-5250 FACSIMILE: (011-7-501) 258-5251

EX PARTE OR LATE FILED

DELIVERY BY HAND

Mr. William F. Caton Acting Secretary Federal Communications Commission 1919 M Street, N.W. Washington, D.C. 20554 December 19, 1996

DEC 1 9 1996

Re: Notice of ex parte presentation in RM-8811 COMMUNICATIONS COMMUNICATIONS COMMUNICATIONS COMMISSION 93-253, ET Docket No. 94-124, RM-8308

Dear Mr. Caton:

Motorola Satellite Systems, Inc. ("Motorola"), through its attorneys, and pursuant to Section 1.1206 of the Commission's rules, hereby reports that an oral <u>ex parte</u> presentation was made on December 17th by representatives of Motorola to the International Bureau. In attendance at this meeting were Donald Gips, John Sloan, Virginia Marshall, and Steve Sharkey. During this presentation the attached documents were distributed and discussed along with the positions of Motorola as set forth in its comments in the above-referenced proceedings. In addition, Motorola distributed copies of the attached charts which set forth Motorola's understanding of the number and location of licensed fixed stations in the 38.6-40.0 GHz band as reflected in the Commission's records as of November 1996, as well as a compressed grouping of the licensed stations if the Commission were to reassign these channels.

No. of Copies rec'd_______

An original and six copies of this letter are being submitted for inclusion in the above-referenced dockets. Copies of this notice are also being sent to those Commission personnel in attendance at the presentation.

Respectfully submitted,

Philip L. Malet

Counsel for Motorola Satellite Systems, Inc.

cc: Mr. Donald Gips

Mr. Steve Sharkey

Mr. John Sloan

Ms. Virginia Marshall



December 17, 1996

The M-Star System

A Global Network of Non-Geostationary Communications Satellites Providing Broadband Services in the 40/50 GHz Bands

> Filed 4 September 1996 by: Motorola Satellite Systems, Inc.



Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

M-Star Presentation Outline

- Introduction
- Business Plan
- System Architecture
- Spectrum Plan
- Sharing Considerations
- Sharing Rules
- Summary



December 17, 1996

Business Application

- The M-Star System Provides a Global Communications Network
 - That offers:
 - » Real time, wideband information transfer of digital video, data, voice, and Audio
 - Using Multiple Protocols:
 - » ISDN, X.25, FDDI, OC-1, Plus Others
 - At Data Rates From:
 - **» 2.048 Mbps to 51.84 Mbps**




Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

M-Star Constellation



Number of Planes:	12
Satellites per Plane:	6
Inclination:	47°
Altitude:	1350 km
Minimum Elevation Angle:	22°




Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

M-Star Multiple Coverage






Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

Global Satellite Network



Page 6 CB - RK



December 17, 1996

M-Star Services

- Interconnection Between Wireless Backhaul
- Large Private Data Networks
 - Large business terminals
 - Enterprise networks
- LAN-to-LAN Direct Connections
- Small Services Connectivity or Aggregate Of Service Providers (E-1)

December 17, 1996

M-Star Spectrum Requirements

- Service Links:
 - space-to-Earth: 37.5 40.5 GHz
 - Earth-to-space: 47.2 50.2 GHz
- Inter-Satellite Links:
 - 59.0 64.0 GHz or 65 71 GHz
- TT&C Links (normal):
 - Operates in service link bands
- TT&C Links (launch and emergency):
 - Earth-to-space: 1750 1850 MHz and 2025 2110 MHz
 - space-to-Earth: 2200 2290 MHz



December 17, 1996

Spectrum Selection Criteria

- Sufficient Bandwidth to Provide High Data Rate Services
- Last Usable Satellite Spectrum
- Global Availability



December 17, 1996

M-Star System Designed to Share Spectrum

- With Other Fixed Satellite Service Systems Using Space Diversity Techniques
 - GSO's
 - NGSO's
- With Point-to-Point Fixed Systems
 - Subject to Reasonable Sharing Rules
- Sharing Not Feasible
 - Mobile Service
 - Point-to-Multi-point
 - SkyStation



Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

Fixed Satellite Service/Fixed Service Sharing Scenario

- 37.5-40.5 GHz
 - Spectrum Sharing Is Achievable When Following Sharing Constraints Are Met.
 - » M-Star Interference Into Fixed Service:
 - · Can share without coordination
 - » Fixed Service Into M-Star Earth Stations:
 - M-Star will accept interference without coordination
 - If:

Fixed Service transmitters are limited to an EIRP of less than

-22 dBW/MHz

And:

Adaptive Power Control is applied for fading conditions

- 47.2-50.2 GHz
 - Spectrum Sharing Is Achievable by Coordination or Band Segmentation.



December 17, 1996

ADAPTIVE POWER CONTROL

- Technical Approach
 - Design Considerations
 - » EIRP Density Limit (-22 dBW/MHz) => Have approximately 10 dB of margin to meet BER rate of 10⁻⁶ in unfaded conditions for a 2.3 km link.
 - » Dynamic Range => Need approximately 50 dB for full fading conditions due to precipitation. Fading rates are expected to be less than 1 dB/s.
 - » Detection Criteria => Use error rate detector to set link power.
- Minimal Increased Capital Cost
 - Typically less that \$300 per site
 - Multiple hardware design approaches are available, all are with today's technology.



Satellite Communications Group

M-Star Presentation to FCC

December 17, 1996

ADAPTIVE POWER CONTROL (Cont.)

Benefits

- Minimizes Intra-System Interference
 - » Allows for Fixed Service links to be closer together
- Enhances Sharing with Fixed Satellite Service Terminals
- Increase Reliability resulting in lower operational and maintenance cost
- Allows unrestricted deployment of Fixed Service links



Satellite Communications Group


M-Star Presentation to FCC

December 17, 1996

SUMMARY

- Important to Preserve Fixed Satellite Service Spectrum Above 30 GHz
- Satellite Technology is currently available to use the 40/50 GHz Bands
- Proposed Fixed Satellite Service/Fixed Service Sharing Rules are Feasible
- Significant Demand Exists for Global High Speed Data Networks
- Satellites are Uniquely Positioned to Serve This Market

38 GHZ POINT-TO-POINT SPECTRUM USAGE



	List of Companies
	Winstar
	Biztel
	Milliwave
	Advanced Radio
Company States and States	AT&T
	Hicap Networks
_	Cambridge Partners
	Alascom_
	Linda Chester
	Altron Comm.
	Bachow Comm.
Port Salarie (Columbia Capital
	Columbia Millimeter
	СОММСО
1	Kirkland & Assocs.
	Litchfield Cnty Cellular
	Local Area Telecomm.
	New England Digital
	GHZ Equip. Co.
	Elar Cellular
Total Control Control	DCT Comm.
STATE OF THE STATE	Pacific Bell Mobile
	Bay Area Teleport
	One World Telecomm.
	Pacific Telesis Wireless Extended Comm.
	American Cellular
	Paul Likins
<u> </u>	——————————————————————————————————————
	Microwave Partners
	OCOM Corp.
	Sintra Capital Corp.
	Cornelius T. Ryan
The second secon	Pinnacle Nine Comm.
11-11-11-11-11-11-11-11-11-11-11-11-11-	Plaincom Inc.
	Pacific & Eastern Digital
	SMC Associates
	Southfield Comm.
	Spectrum Comm.
	Telecom One Inc.
	Video Multipont
<u>.</u>	Wireless T-1 Inc.
	Wireless Telco
	No Wire LLC
2.3	Mountain Microwave Inc.
***	Clear Comm. Group
	Wexler Video Inc.
and the second s	Citizens Utilities Co.
	Broadcast Sports Technology
	- Jagoust Opons Technology

^{*} CHART INCLUDES ALL LICENSES
RECEIVED FROM ITS GETTYSBURG OFFICE
** STRIPED CELLS INDICATE SPECTRUM
SHARED BETWEEN TWO FS LICENSES

Crises Aprilans Ministry Ministry Ministry	мы	s e	1 127	i de de	11.56	14.94	1.2	10.0		5 (0.)	1 2		1 (1)	5 10.		ж	2.40).K	n Fi	e a	P.A	a K	9.74	10.7			K 90	M W	K
Minopostijos Sependrija Minoposi Minoposi Argentio Archosege Accidence													:5;8														943) 34	-	## 60
30 TE		Ŧ					Ļ			ļ				Ē									Ē			ļ			
Antiferd friens frien frie			ŧ							ļ	SZ	_									275.7°	17)*C	882						
belle (Sea Begarfoot) Selfenile Selfenile Seud Mahammah Seud Mahammah Selfenile Selfen							1	İ						46														- 3	sets.
emphanyte sempoham koran koran koran koran koran koran koran koran						300		27.		3.5						_		_			30.0		C 23		72		751		.0
inchernationalita Surfanio Surfanio Surfanio California			Į	Ļ									### 															80/	STANSON STANSON
screminalis surface su			Ī		ŧ							2) (4) (4)															3346.0	dicki Mare Mare	400
Centroment Clementered					163	38			ļ				ALC:							1.2	4								
Colomata Spring Colombia Colombia Colombia Corpus Christi Surface Surface Display Display Display Display Display					#				DY.			rare. WARE .		322									à:	284			on con With 1886 Calabana	Side of	
Sections Section Secti											=	est e	37	99N 183													121/2		游戏 游戏
Dulió El Cantro El Passo Ellithart										13	22											-				<i>II./7</i>	ijo Air.		
ogene Sunske Sun									ļ			866															20172		
France France									•				90.6%																
P. Pierce P. Wagne P. Worth Fulton Centre mills Casty Climad Regards Great Folia														ļ									•					Å.	
Green Bay Greensho Greensho Herrisburg Hardord Herrai Lolligter									313			(2), (3) (2), (3)		es es								ļ					1.00A 1514	1.27	(1880) (1890)
tothjeter Hersolulu Hassaton Harrington Harrington Harrington Harrington Harrington Jackson Jackson Jackson										E(5)		OXING OXING		BÇANÎ											200		1550		\$1 747
Johnstown Juneau Karleso OU Kond KA													200															12/1 X	
Connewok Contacto Chean Cha Chean Cha Chean Cha Cha Chean Cha Cha Cha Cha Cha Cha Cha Cha Cha Cha	i i	220	24:365		5173 E		1 10 7 1		200		LANCE OF THE PARTY	20100	(2 11 (%)			100	3636			110	23 3	EE			200.2	CAS	1919	utisate Second	,
Lansing Lee Vegas Leekropen Lema Leroole Leng Beanch Long Beanch Long Pine Long Pine Long Leng Long Leng Long Leng Long Leng Long Long Leng Long Long Long Long Long Long Long Lo														TD 18					-									SE CO	AVSTA
on Ange en encyclin uhbock problemy																								51179					
Marie atom Marie affinida Marie affinia Marie affinia Marie affinia Marie affinia												c5003	1950														5/12	n Diagram	1864)
Memphia Memphia Memphia Memphia Memphia Memphia Medicato	<u>.</u>						1123			1616. 1616.			1818									VA			Segue			(())	
stocke to stanterny shortgoorsey skit Leaguer New Bedford New Bedford New Bedford New Bedford New Colleges New York New York											*	822	188	1970													ge	NAME OF THE PARTY	
New Primare New Orleans New York New York New York North Environ Ogden Officerus Ca									(302)				nwe.											200					
Ogden Oktoborne Cel Denabra Compys Court Octobralo Ogrand	*									ganga Ganga		TURK	Ref-e-												990	À	28/1		23.5
Distriction of Character Country Country Country Country Character Character Character Parameter Properties Place of the Country Place										1402			ANSARa												6/10				q
Pitteburgh Proximal Portural Porturnouth (Porturnouth (Poughaspess	N# 1						S self	_		14		ZN		State							\$H2	n e						-	382
oughwepan routeros rushes Bay yeblo Puerto Heno Hansigh Pieculing										243			39172	Sp. 62	9														
Florico Flic hisned Flichero rai Florencelle Florencel													8263	~ (1)	_														F1:
September 12g	no i						50						, Hast	PA1								· · ·							
Sam Francisc Sam Jugar Sam Jugar Sam Luce Ob- Secrite Ave Secrite Realse	110									21%																75	ei.		W.
Suppline Sent Late 12 Sent Petronic Sent Petronic Sent Petronic Sent Petronic Sent Petronic Sent													5083 7840	.300														300	1754 1754
Shraveport Somerville South Band Spokene Springfield Standard								40		- 1941	96	(A) - 127		34								18.40			- 46	96 905			760
Stephendle Stephendle Stephendle St. Joseph St. Lease Synacura Income	•								75.00					- -										200			-		
Tallahan ord Imman Torro Haute Torro Thibodisan Thibodisan Thibodisan													Veri	:22	re,										F				
Territoria. Terri					E							123 123		Si Asi					-								- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	236 96	
Mach DC Walthurfor Watton Wast Palm Mast Palm Plant Vagin	- 3	105 17.			453	i aci	F	600	3 2		35 gz		de d			4.2		7.54		EX	1153		21		A S	1960		ağı 173	
Wiches Widnes Windows Win Inspect									-	20	+			(a) (b) (c) (c)	-									+		7		200 100	-
(oungable	1	1	E	Ŧ	E	<u> </u>	Ι.	1	E	1-	Ŧ	1	Τ,	Ξ	1	=			E	1_	<u> </u>		L	1	1	1	_±	1	1